ELSEVIER

Journal of Materials Processing Technology 146 (2004) 425

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 146

Ahmetoglu, M., 97
Ahn, J.-H., 221
Altan, T., 1, 8, 20, 28, 35, 44, 52, 61, 72, 82, 92, 97, 108, 116, 124, 130, 137
Antoniadis, A., 213
António, C.A.C., 356
Astakhov, V.P., 193
Aue-U-Lan, Y., 137

Balconi, J., 35, 44
Barnett, M.R., 408
Batoz, J.L., 250
Biju Kumar, K.S., 338
Bilalis, N., 213

Castro, C.F., 356
Chao, Y.J., 263
Chengsong, C., 389
Cho, H., 35
Cho, M.-W., 234
Cho, W.-S., 234
Christodoulou, P., 283
Chu, C.N., 303
Çiftçi, İ., 403

Danckert, J., 377
Davies, C.H.J., 408
de Freitas, E.R., 241
Delaméziere, A., 250
Dickens, P.M., 181
Duszczyk, J., 203

Ferracini Jr., E., 241
Ferrante, M., 241
Froyen, L., 175
Fu, Z., 377

Grabchenko, A.I., 318
Guo, Y.Q., 250
Gutscher, G., 1

Hartl, C., 124
Hatayama, T., 273, 274
Hermanto, H., 283
Hezlep, M., 156
Hua, J., 97
Huang, Y.D., 175

Ito, T., 330
Iwasaki, T., 330

Jaeger, S., 108, 116
Jain, A., 72
Jeong, M.Y., 163
Jiang, Z.Y., 167
Jirathearanat, S., 124, 130

Kang, C.G., 294
Kim, B.C., 163
Kim, E.-J., 349
Kim, G.M., 303
Kim, H.-S., 349
Kim, H.W., 326
Kim, J.T., 163
Knopf-Lenoir, C., 250
Kong, C.Y., 181
Koppka, F., 61
Krukova, N.V., 318
Kulukuru, S., 97
Kuramoto, H., 273, 274
Kurt, A., 403

Lang, L., 377
Lapovok, R.Ye., 408
Laxhuber, T., 20
Lee, H., 234
Lee, M.S., 163
Li, L., 203
Lilly, B., 82
Livatyali, H., 20
Lu, C., 167

Magazeev, M.G., 318
Mahdavian, S.M., 188
Malinowski, Z., 145
Mamalis, A.G., 318
Matsugi, K., 273, 274

Naceur, H., 250
Ngaile, G., 1, 28, 35, 44, 52, 108, 116, 137
Nielsen, K.B., 377

Pai, B.C., 338
Palaniswamy, H., 28, 52
Park, D.-S., 234
Park, K., 221
Pillai, R.M., 338
Pol, T., 156
Prohàszká, J., 318

Rentfrow, R., 35, 44

Sartkulvanich, P., 61
Satoh, M., 330
Şeker, U., 403
Seo, P.K., 294
Serajzadeh, S., 311
Shengdong, G., 389
Shirgaokar, M., 35, 44
Shr, S.-G., 130
Shvets, S., 193
Soar, R.C., 181
Söhner, J., 82
Song, B.-S., 349
Sousa, L.C., 356
Strano, M., 92, 130
Sun, Z.Q., 175

Telejko, T., 145
Tieu, A.K., 167
Tomioka, Y., 228
Tsai, C.-J., 289
Tseng, W.J., 289
Tušek, J., 415

Vaxevanidis, N.M., 318
Vidakis, N., 213

Wang, J., 283
Wang, X., 377
Wang, Z.R., 377
Wei, X.P., 283
Worrell, W.J., 35, 44
Wu, H.-C., 1, 8

Xi, J.T., 396

Yan, J.Q., 396
Yanagisawa, O., 273, 274
Yang, W.Y., 175
Yen, Y.-C., 72, 82
Yi, A.Y., 156
Yingxue, Y., 389
Youn, S.W., 294
Yu, J.-H., 35, 44
Yuan, S., 377
Yuki, N., 228
Yurdakul, M., 365

Zhou, B.H., 188
Zhou, J., 203
Zhou, M.Y., 396
Zhu, X.K., 263

Elsevier B.V.
doi:10.1016/S0924-0136(04)00098-6

ELSEVIER

Journal of Materials Processing Technology 146 (2004) 427–431

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 146

AA2024 alloy
Microstructure and rheology of an AA2024 aluminium alloy in the semi-solid state, and mechanical properties of a back-extruded part, 241
Additivity rule
Modelling of temperature history and phase transformations during cooling of steel, 311
7075 Al alloy
Computer simulated and experimentally verified isothermal extrusion of 7075 aluminium through continuous ram speed variation, 203
AlSi alloys
A simple inexpensive technique for enhancing density and mechanical properties of AlSi alloys, 338
Alumina
Temperature distribution at steady state under constant current discharge in spark sintering process of Ti and Al_2O_3 powders, 274
Aluminium
Optimum process parameters for ultrasonic consolidation of 3003 aluminium, 181
Aluminium nitride (AlN)
Microporous layer structure in oxidized aluminium nitride polycrystals, 289
Aluminum tube
A study on numerical simulation of hydroforming of aluminum alloy tube, 377
Analytic hierarchy process
AHP as a strategic decision-making tool to justify machine tool selection, 365
Analytic network process
AHP as a strategic decision-making tool to justify machine tool selection, 365
Analytical modeling
Determination of flow stress for metal cutting simulation—a progress report, 61
Arc metal spray
Rapid tooling for zinc spin casting using arc metal spray technology, 283
Arc welding
Mathematical modelling of melting rate in arc welding with a triple-wire electrode, 415
Assembly
Optimization of mechanical crimping to assemble tubular components, 35
Hydraulic crimping: application to the assembly of tubular components, 44
Austenite transformation
Modelling of temperature history and phase transformations during cooling of steel, 311
Automotive assembly
Experimental investigation of forming defects in flat surface–convex edge hemming, 20
AZ31 magnesium alloy
Construction of extrusion limit diagram for AZ31 magnesium alloy by FE simulation, 408
Back-extrusion
Microstructure and rheology of an AA2024 aluminium alloy in the semi-solid state, and mechanical properties of a back-extruded part, 241
Bend stiffness
Bend stiffness of copper and copper alloy foils, 228

CAD
Process optimization in stamping—a case study for flanging a clutch hub from steel plate, 8
Chip ratio
The assessment of plastic deformation in metal cutting, 193
Computer controlled polishing
A computer controlled optical pin polishing machine, 156
Copper alloy
Bend stiffness of copper and copper alloy foils, 228
Copper foil
Bend stiffness of copper and copper alloy foils, 228
Crimping
Optimization of mechanical crimping to assemble tubular components, 35
Hydraulic crimping: application to the assembly of tubular components, 44
Cutting forces
A simulation model of gear skiving, 213
The effect of feed rate on the cutting forces when machining with linear motion, 403
Cutting speed
Experimental and theoretical analyses of cutting nonmetallic materials by low power CO_2-laser, 188
Cutting tool
A finite element analysis of orthogonal machining using different tool edge geometries, 72
Two-stage electro-discharge machining fabricating superhard cutting tools, 318
Cu–Zn–Al alloys
A study of the two-way shape memory effect in Cu–Zn–Al alloys by the thermomechanical cycling method, 326

Deep drawing
Some improvements on the optimum process design in deep drawing using the inverse approach, 250
Design of experiment (DOE)
Design of experiment considering two-way interactions and its application to injection molding processes with numerical analysis, 221
Design of process parameters
Virtual process development in tube hydroforming, 130
Diamond polycrystalline superhard materials
Two-stage electro-discharge machining fabricating superhard cutting tools, 318
Diamond turning
Diamond turning of large off-axis aspheric mirrors using a fast tool servo with on-machine measurement, 349

Elsevier B.V.
doi:10.1016/S0924-0136(04)00101-3

Dispersion strengthening
Coating of soft metal particles with ceramic fines using a dry mechanical method, 330
Drawbead design
Some improvements on the optimum process design in deep drawing using the inverse approach, 250
Dry coating
Coating of soft metal particles with ceramic fines using a dry mechanical method, 330
Dynamometer
The effect of feed rate on the cutting forces when machining with linear motion, 403

Edge preparation
A finite element analysis of orthogonal machining using different tool edge geometries, 72
Elastic entry and exit
A FEM modelling of the elastic deformation zones in flat rolling, 167
Elastic recovery
A FEM modelling of the elastic deformation zones in flat rolling, 167
Electrode polarity
Mathematical modelling of melting rate in arc welding with a triple-wire electrode, 415
Embedding energy
Coating of soft metal particles with ceramic fines using a dry mechanical method, 330
Energy
The assessment of plastic deformation in metal cutting, 193
Experiment
A study on numerical simulation of hydroforming of aluminum alloy tube, 377
Extrusion limit diagram
Construction of extrusion limit diagram for AZ31 magnesium alloy by FE simulation, 408

Fast tool servo
Diamond turning of large off-axis aspheric mirrors using a fast tool servo with on-machine measurement, 349
FDM
Temperature distribution at steady state under constant current discharge in spark sintering process of Ti and Al_2O_3 powders, 274
FE simulation
Construction of extrusion limit diagram for AZ31 magnesium alloy by FE simulation, 408
FEA simulation
Hydroforming of sheet metal using a viscous pressure medium, 97
Hydroforming of Y-shapes—product and process design using FEA simulation and experiments, 124
Virtual process development in tube hydroforming, 130
Feed rate
The effect of feed rate on the cutting forces when machining with linear motion, 403
FEM
Determination of flow stress for sheet metal forming using the viscous pressure bulge (VPB) test, 1
Process optimization in stamping—a case study for flanging a clutch hub from steel plate, 8
Optimization of mechanical crimping to assemble tubular components, 35
Hydraulic crimping: application to the assembly of tubular components, 44
Determination of flow stress for metal cutting simulation—a progress report, 61
Optimizing tube hydroforming using process simulation and experimental verification, 137
A FEM modelling of the elastic deformation zones in flat rolling, 167
FEM simulation
A finite element analysis of orthogonal machining using different tool edge geometries, 72
Computer simulated and experimentally verified isothermal extrusion of 7075 aluminium through continuous ram speed variation, 203
Filling behavior
Thermal fluid/solidification analysis of automobile part by horizontal squeeze casting process and experimental evaluation, 294
Finite element
Optimization of blank dimensions to reduce springback in the flexforming process, 28
Finite element simulation of magnesium alloy sheet forming at elevated temperatures, 52
Finite element analysis
Numerical simulation of transient temperature and residual stresses in friction stir welding of 304L stainless steel, 263
Finite element inverse approach
Some improvements on the optimum process design in deep drawing using the inverse approach, 250
Finite element method (FEM)
Estimation of tool wear in orthogonal cutting using the finite element analysis, 82
An inverse energy approach to determine the flow stress of tubular materials for hydroforming applications, 92
Lubrication in tube hydroforming (THF). Part I. Lubrication mechanisms and development of model tests to evaluate lubricants and die coatings in the transition and expansion zones, 108
Application of an inverse solution to the thermal conductivity identification using the finite element method, 145
Optimisation of shape and process parameters in metal forging using genetic algorithms, 356
Flanging
Process optimization in stamping—a case study for flanging a clutch hub from steel plate, 8
Flat rolling
A FEM modelling of the elastic deformation zones in flat rolling, 167
Flexforming
Optimization of blank dimensions to reduce springback in the flexforming process, 28
Flow stress
Determination of flow stress for sheet metal forming using the viscous pressure bulge (VPB) test, 1
Determination of flow stress for metal cutting simulation—a progress report, 61
An inverse energy approach to determine the flow stress of tubular materials for hydroforming applications, 92
Force map
Mean cutting force prediction in ball-end milling using force map method, 303
Formability
Determination of flow stress for sheet metal forming using the viscous pressure bulge (VPB) test, 1
Freeform fabrication
Optimum process parameters for ultrasonic consolidation of 3003 aluminium, 181
Friction stir welding
Numerical simulation of transient temperature and residual stresses in friction stir welding of 304L stainless steel, 263
Friction variation
A FEM modelling of the elastic deformation zones in flat rolling, 167

Functionally graded materials
Modeling and processing of functionally graded materials for rapid prototyping, 396

Gear skiving
A simulation model of gear skiving, 213
Genetic algorithms
Optimisation of shape and process parameters in metal forging using genetic algorithms, 356
Grooving
Micro-grooving of glass using micro-abrasive jet machining, 234

Hardness
Coating of soft metal particles with ceramic fines using a dry mechanical method, 330
Hemming
Experimental investigation of forming defects in flat surface–convex edge hemming, 20
Heterogeneous solid model
Modeling and processing of functionally graded materials for rapid prototyping, 396
Horizontal squeeze casting
Thermal fluid/solidification analysis of automobile part by horizontal squeeze casting process and experimental evaluation, 294
Hot embossing
Fabrication of a micro-optical coupling structure by laser ablation, 163
Hot forging
Optimisation of shape and process parameters in metal forging using genetic algorithms, 356
Hump
A FEM modelling of the elastic deformation zones in flat rolling, 167

Inco 718 nickel alloy
Hydroforming of sheet metal using a viscous pressure medium, 97
Injection molding
Design of experiment considering two-way interactions and its application to injection molding processes with numerical analysis, 221
Interface
Microporous layer structure in oxidized aluminium nitride polycrystals, 289
Intermetallics
Preparation and mechanical properties of large-ingot Fe_3Al-based alloys, 175
Inverse heat conduction problem
Application of an inverse solution to the thermal conductivity identification using the finite element method, 145
Iron aluminide
Preparation and mechanical properties of large-ingot Fe_3Al-based alloys, 175
Isothermal extrusion
Computer simulated and experimentally verified isothermal extrusion of 7075 aluminium through continuous ram speed variation, 203

304L stainless steel
Numerical simulation of transient temperature and residual stresses in friction stir welding of 304L stainless steel, 263
Large off-axis aspheric mirrors
Diamond turning of large off-axis aspheric mirrors using a fast tool servo with on-machine measurement, 349
Laser ablation
Fabrication of a micro-optical coupling structure by laser ablation, 163
Layered manufacturing
Optimum process parameters for ultrasonic consolidation of 3003 aluminium, 181
Limiting dome height
Lubrication in tube hydroforming (THF). Part II. Performance evaluation of lubricants using LDH test and pear-shaped tube expansion test, 116
Load cell
The effect of feed rate on the cutting forces when machining with linear motion, 403
Loading paths
Virtual process development in tube hydroforming, 130
Lubrication
Lubrication in tube hydroforming (THF). Part I. Lubrication mechanisms and development of model tests to evaluate lubricants and die coatings in the transition and expansion zones, 108

Machine characteristics
AHP as a strategic decision-making tool to justify machine tool selection, 365
Machine selection
AHP as a strategic decision-making tool to justify machine tool selection, 365
Magnesium
Finite element simulation of magnesium alloy sheet forming at elevated temperatures, 52
Manufacturing strategy
AHP as a strategic decision-making tool to justify machine tool selection, 365
Z-map
Mean cutting force prediction in ball-end milling using force map method, 303
Martensite
A study of the two-way shape memory effect in Cu–Zn–Al alloys by the thermomechanical cycling method, 326
Masking process
Micro-grooving of glass using micro-abrasive jet machining, 234
Material properties
Some improvements on the optimum process design in deep drawing using the inverse approach, 250
Mathematical modelling
Modelling of temperature history and phase transformations during cooling of steel, 311
Mathematical models
Mathematical modelling of melting rate in arc welding with a triple-wire electrode, 415
Mean cutting force
Mean cutting force prediction in ball-end milling using force map method, 303
Measure
The assessment of plastic deformation in metal cutting, 193
Mechanical compounding
Coating of soft metal particles with ceramic fines using a dry mechanical method, 330
Mechanical properties
Preparation and mechanical properties of large-ingot Fe_3Al-based alloys, 175
Thermal fluid/solidification analysis of automobile part by horizontal squeeze casting process and experimental evaluation, 294
Mechanical strength
Microstructure and rheology of an AA2024 aluminium alloy in the semi-solid state, and mechanical properties of a back-extruded part, 241
Melting rate
Mathematical modelling of melting rate in arc welding with a triple-wire electrode, 415

Metal cutting
Determination of flow stress for metal cutting simulation—a progress report, 61
The assessment of plastic deformation in metal cutting, 193
Micro-abrasive
Micro-grooving of glass using micro-abrasive jet machining, 234
Micro-abrasive jet machining
Micro-grooving of glass using micro-abrasive jet machining, 234
Micro-mold
Fabrication of a micro-optical coupling structure by laser ablation, 163
Microstructure
Microporous layer structure in oxidized aluminium nitride polycrystals, 289
Mould tilting
A simple inexpensive technique for enhancing density and mechanical properties of AlSi alloys, 338

Nonmetallic
Experimental and theoretical analyses of cutting nonmetallic materials by low power CO_2-laser, 188
Numerical analysis
Design of experiment considering two-way interactions and its application to injection molding processes with numerical analysis, 221
Numerical simulation
Numerical simulation of transient temperature and residual stresses in friction stir welding of 304L stainless steel, 263

On-machine measurement
Diamond turning of large off-axis aspheric mirrors using a fast tool servo with on-machine measurement, 349
Optical coupling
Fabrication of a micro-optical coupling structure by laser ablation, 163
Optical finishing
A computer controlled optical pin polishing machine, 156
Optimal design
Optimisation of shape and process parameters in metal forging using genetic algorithms, 356
Optimization
Optimization of blank dimensions to reduce springback in the flexforming process, 28
A simulation model of gear skiving, 213
Optimization of process parameters
Some improvements on the optimum process design in deep drawing using the inverse approach, 250
Orthogonal cutting
Estimation of tool wear in orthogonal cutting using the finite element analysis, 82
Orthogonal slot milling
Determination of flow stress for metal cutting simulation—a progress report, 61
Oxidation
Microporous layer structure in oxidized aluminium nitride polycrystals, 289

PAM-STAMP
Hydroforming of sheet metal using a viscous pressure medium, 97
Pear-shaped tube expansion test
Lubrication in tube hydroforming (THF). Part II. Performance evaluation of lubricants using LDH test and pear-shaped tube expansion test, 116
Plastic deformation
The assessment of plastic deformation in metal cutting, 193
Coating of soft metal particles with ceramic fines using a dry mechanical method, 330
Potential distribution
Temperature distribution at steady state under constant current discharge in spark sintering process of Ti and Al_2O_3 powders, 274
Process design
Hydroforming of Y-shapes—product and process design using FEA simulation and experiments, 124
Pullout test
Optimization of mechanical crimping to assemble tubular components, 35
Hydraulic crimping: application to the assembly of tubular components, 44

Quick-stop mechanism
Determination of flow stress for metal cutting simulation—a progress report, 61

Rapid prototyping
Rapid prototyping based on uniform droplet spraying, 389
Modeling and processing of functionally graded materials for rapid prototyping, 396
Rapid solidification
Rapid prototyping based on uniform droplet spraying, 389
Rapid tooling
Rapid tooling for zinc spin casting using arc metal spray technology, 283
Real-time error compensation
Diamond turning of large off-axis aspheric mirrors using a fast tool servo with on-machine measurement, 349
Residual stress
Numerical simulation of transient temperature and residual stresses in friction stir welding of 304L stainless steel, 263
Rheology
Microstructure and rheology of an AA2024 aluminium alloy in the semi-solid state, and mechanical properties of a back-extruded part, 241
Rotational disc-electrodes
Two-stage electro-discharge machining fabricating superhard cutting tools, 318

Semi-solid
Microstructure and rheology of an AA2024 aluminium alloy in the semi-solid state, and mechanical properties of a back-extruded part, 241
Shaping
The effect of feed rate on the cutting forces when machining with linear motion, 403
Sheet metal bending
Process optimization in stamping—a case study for flanging a clutch hub from steel plate, 8
Sheet metal forming
Determination of flow stress for sheet metal forming using the viscous pressure bulge (VPB) test, 1
Experimental investigation of forming defects in flat surface–convex edge hemming, 20
Some improvements on the optimum process design in deep drawing using the inverse approach, 250
Simulation
Optimizing tube hydroforming using process simulation and experimental verification, 137
A simulation model of gear skiving, 213
A study on numerical simulation of hydroforming of aluminum alloy tube, 377
Slanted surface machining
Mean cutting force prediction in ball-end milling using force map method, 303

Solid-state welding
Optimum process parameters for ultrasonic consolidation of 3003 aluminium, 181
Spark sintering
Temperature distribution at steady state under constant current discharge in spark sintering process of Ti and Al_2O_3 powders, 274
Spin casting
Rapid tooling for zinc spin casting using arc metal spray technology, 283
Springback
Process optimization in stamping—a case study for flanging a clutch hub from steel plate, 8
Optimization of blank dimensions to reduce springback in the flexforming process, 28
Stainless steel
A computer controlled optical pin polishing machine, 156
Strategic consideration
AHP as a strategic decision-making tool to justify machine tool selection, 365

Tapping
A simple inexpensive technique for enhancing density and mechanical properties of AlSi alloys, 338
Thermal analysis
Temperature distribution at steady state under constant current discharge in spark sintering process of Ti and Al_2O_3 powders, 274
Thermal conductivity
Application of an inverse solution to the thermal conductivity identification using the finite element method, 145
Thermomechanical cycling
A study of the two-way shape memory effect in Cu–Zn–Al alloys by the thermomechanical cycling method, 326
Thermomechanical process
Preparation and mechanical properties of large-ingot Fe_3Al-based alloys, 175
Thixoextrusion
Microstructure and rheology of an AA2024 aluminium alloy in the semi-solid state, and mechanical properties of a back-extruded part, 241
Three-mirror-anastigmatic telescopes
Diamond turning of large off-axis aspheric mirrors using a fast tool servo with on-machine measurement, 349
Titanium
Temperature distribution at steady state under constant current discharge in spark sintering process of Ti and Al_2O_3 powders, 274
Tool life
Estimation of tool wear in orthogonal cutting using the finite element analysis, 82
Tool wear
Estimation of tool wear in orthogonal cutting using the finite element analysis, 82
Transient temperature
Numerical simulation of transient temperature and residual stresses in friction stir welding of 304L stainless steel, 263
Triple-wire electrode
Mathematical modelling of melting rate in arc welding with a triple-wire electrode, 415
Tube bulge test
An inverse energy approach to determine the flow stress of tubular materials for hydroforming applications, 92
Tube hydraulic forming
Virtual process development in tube hydroforming, 130
Tube hydroforming
An inverse energy approach to determine the flow stress of tubular materials for hydroforming applications, 92
Lubrication in tube hydroforming (THF). Part I. Lubrication mechanisms and development of model tests to evaluate lubricants and die coatings in the transition and expansion zones, 108
Hydroforming of Y-shapes—product and process design using FEA simulation and experiments, 124
Optimizing tube hydroforming using process simulation and experimental verification, 137
A study on numerical simulation of hydroforming of aluminum alloy tube, 377
Tube hydroforming process
Lubrication in tube hydroforming (THF). Part II. Performance evaluation of lubricants using LDH test and pear-shaped tube expansion test, 116
Turbulence
A simple inexpensive technique for enhancing density and mechanical properties of AlSi alloys, 338
Two-stage electro-discharge machining
Two-stage electro-discharge machining fabricating superhard cutting tools, 318
Two-way interaction
Design of experiment considering two-way interactions and its application to injection molding processes with numerical analysis, 221
Two-way shape memory effect (TWME)
A study of the two-way shape memory effect in Cu–Zn–Al alloys by the thermomechanical cycling method, 326

Ultrasonic consolidation
Optimum process parameters for ultrasonic consolidation of 3003 aluminium, 181
Uniform droplet spraying
Rapid prototyping based on uniform droplet spraying, 389

Vacuum induction melting
Preparation and mechanical properties of large-ingot Fe_3Al-based alloys, 175
Vibration
A simple inexpensive technique for enhancing density and mechanical properties of AlSi alloys, 338
Viscous pressure forming
Hydroforming of sheet metal using a viscous pressure medium, 97

Warm sheet forming
Finite element simulation of magnesium alloy sheet forming at elevated temperatures, 52
Wear mechanisms
Estimation of tool wear in orthogonal cutting using the finite element analysis, 82
Wire-EDM
Two-stage electro-discharge machining fabricating superhard cutting tools, 318
Workpiece
Experimental and theoretical analyses of cutting nonmetallic materials by low power CO_2-laser, 188
Wrinkles
A study on numerical simulation of hydroforming of aluminum alloy tube, 377

Yield strength
Bend stiffness of copper and copper alloy foils, 228
Young's modulus
Bend stiffness of copper and copper alloy foils, 228